

IVORY M 72 WP

Metalaxyl 80 g/kg + Mancozeb 640 g/kg ; WP



PROTECTIVE AND CURATIVE BROAD SPECTRUM FUNGICIDE

IVORY M 72 WP is a protective fungicide efficient against blights and downy mildew in vegetables.

KEEP LOCKED OUT OF REACH OF CHILDREN

RECOMMENDATIONS FOR USE

Crops	Disease	Application Rate (kg/ha)	Interval (Days)	Period of Application
Potatoes	Late blight (<i>P. infestans</i>)	2.5	10-14	1st application before infection, when weather is favourable to development of the diseases
Tomatoes	Earl blight (<i>Alternaria</i> sp.)	3.0-3.5	7-10	
Beans	Bean blight (<i>P. viciae</i>)	2.5	10-14	
Cucurbits	Cucumber blight (<i>P. cubensis</i>)	2.5	10-14	
Brassicas	Soft rot (<i>P. parasitica</i>)	2.5	10-14	
Ornamentals	Downy mildew (<i>P. sparsa</i>)	2.5-3.0	10-14	

These recommendations are calculated on a base of 1000 litre mixture volume/ha, bearing in mind that the volume can vary depending on the density of foliage.

RE-ENTRY PERIOD

Do not enter treated areas for 2 days unless appropriate protective clothing is worn.

PRE-HARVEST INTERVAL

Beans 14 days
Potatoes, Brassicas 7 days
Cucurbits, Tomatoes 3 days
Ornamentals 3 days (PHI)

SAFETY PRECAUTIONS

Keep out of reach of children.
Keep away from food, water supplies, flammable materials, heat and flame.
Wear protective clothing and rubber gloves. Avoid contact with eyes, skin and clothing.
Do not eat, drink or smoke in the working area or where the chemical is stored.
Avoid breathing vapour or spray mist.
Do not apply this product in such a manner as to directly expose other persons to spray drift.

Wash thoroughly with soap and water after handling and before eating or smoking. Immediately remove contaminated clothing and wash before re use.

FIRST AID

Inhalation: remove from exposure area to fresh air immediately. If breathing has stopped, perform artificial respiration. Keep person warm and at rest. Treat symptomatically and supportively. Get medical attention immediately.

Eye contact: wash eyes immediately with

large amount of water or normal saline, occasionally lifting upper and lower lids, until no evidence of chemical remains (approximately 15-20 minutes). Get medical attention.

Skin contact: remove contaminated clothing and shoes immediately. Wash affected areas with soap or mild detergents and large amount of water until no evidence of chemicals remains (approximately 15-20 minutes). Get medical attention.

Ingestion: remove by gastric lavage and catharsis. Maintain blood pressure and airway. Give oxygen if respiration is depressed. Do not perform gastric lavage if victim is unconscious. Get medical attention immediately.

ANTIDOTE

No specific antidote. Treat symptomatically and supportively.

STORAGE

Store in original container, secured and dry areas, under cool and well ventilated conditions. Prevent cross contamination with other pesticides and fertilizers. Do not store above 35° C for extended period of time.

DISPOSAL

Avoid improper disposal of excess concentrate, spray mixture or rinsate. Triple rinse containers then puncture and dispose off in an approved sanitary landfill. Do not re-use containers.

READ LABEL CAREFULLY BEFORE USING THIS PRODUCT

Date of manufacture : 10-07-08

Shelf life : 24 months in unopened containers

Batch number : GFKMNX7202

Manufactured for : Arysta LifeScience

Route Artix - B.P 80
64150 - ZIGIERE - FRANCE
Http://www.arysta-usa.com

Distributed by : Arysta LifeScience

Arysta LifeScience
Tanzania Ltd
Plot 127 - NYERER ROAD
P.O. Box 342
DAR ES SALAAM - TANZANIA

Net weight : 20x500 g

RESEARCH INSTITUTE ARUSHA

