

2.0 FUNGICIDE

2.1 Copper Nordox® 50WP

A red copper fungicide for the preventive control of Coffee Berry Disease (CBD) and Coffee leaf rust and against early and late blights in Potatoes and Tomatoes.

Copper in Cuprous Oxide.....50%

Benefits

- Has micro fine red/brown wettable powder, with a minimum of 99% of the particles finer than 5 microns and 80% finer than 2 microns. With Copper, the smaller the particle size the greater the biological effectiveness and better the disease control, hence **Copper Nordox** offers a wide distribution on the leaf surface, with greater activity and adhesive properties
- It stimulates plant growth and yields on copper deficient soil
- Contains dolomite which counteracts and improves soil fertility
- It is worker safety
- Easy to use
- Gives best results

Recommendations for use

Crop	Disease	Rate	Spray interval
Coffee	Coffee Berry Disease (CBD)	7.7Kg/ha (140g/ 20L)	4 Weeks
	Coffee Leaf Rust (CLR)	3.8Kg/ha (70g/ 20L)	3 Weeks
Potatoes	Early Blight	3-6 Kg/ Ha (80g/ 20L)	Apply at 7-10 days intervals when plants are 6 inches high until harvest. Apply by ground or air.
Tomatoes	Dumping off	2-3Kg/ Ha (70g/ 20L)	Apply prior to disease appearance by ground or air and repeat at 7-10 days interval

Timing of application

As a preventive fungicide, start spraying before the rains and continue during the rainy season in spray intervals recommended above depending upon the disease severity and rainfall condition.

Compatibility

Copper Nordox is compatible with most neutral or slightly alkaline pesticides.

Preparation of spray

Mix the required quantity of **Copper Nordox** in one third (1/3) of the necessary amount of water. Mix into slurry and top up with the remaining amount of water, constantly agitating. Even while spraying constant agitation is necessary. **Copper Nordox** has a special sticker incorporated at manufacture, thus further stickers or spreaders are not necessary. Spray to give an even coverage. Use the spray on the same day of preparation.

[Top](#)