

TRIATRIL MC

FOR
OUTSTANDING BROADLEAF CONTROL



 *Agricola* Agrochemicals

Distributed in Tanzania by:

Triachem (T) Ltd

Esso Road

PO Box 2750

Tel: 027 2502446/3485

Fax: 027 2548774

E-mail: triachem@habari.co.tz

Supplied by:

**Tradebase Ltd, Sussex House, The Pines,
Broad Street, Guilford, Surrey.**

GU3 3BH England

Tel: 44 1483 450440

Fax: 44 1483 450770

E-mail: agricola@tbase.co.uk

TRIATRIL MC

(225g/l Bromoxynil Octanoate + 225g/l MCPA)

Post-emergence Herbicide for the control of Broadleaf Weeds in Cereals

Key Features

- Outstanding control of major broadleaf weeds
- Fast action
- Cost effective

Why Buy?

Triatril MC combines the two active ingredients, Bromoxynil and MCPA, in a high quality, robust formulation especially designed to offer the farmer fast, efficient and cost effective control of all the major broadleaf weeds found in his cereal crops.

How Does it Work?

Triatril MC controls susceptible weeds in Wheat, Barley, Oats and Maize by inhibiting photosynthesis and disrupting cell growth. This dual action both increases the speed of control and reduces the danger of resistance developing in target weeds.

How and When Can I Apply it?

Triatril MC can be applied by *Air, Boom or Knapsack sprayer*.

For best results apply whilst target weeds are at the 2-4 leaf stage and in the early morning/late afternoon when temperatures are lower. Do not apply if the crop is suffering from water stress, within one hour of rain falling or if it is about to rain.

What Rate Do I Use?

Triatril MC is used at a rate of 1.25lt/ha in 150-200lt water by tractor or 33-50lt water by aerial application

What can I Mix it with?

Triatril MC is compatible with most post-emergence herbicides as well as the insecticides chlorpyrifos, dimethoate and endosulfan.

DAWA YA KUANGAMIZA MAGUGU YENYE MAJANI MAPANA KWENYE MAZAO YA NAFKA

UBORA WAKE:

- Ni madhubuti katika kuangamiza magugu yenye majani mapana
- Inafanya kazi kwa haraka zaidi
- Ni ya gharama nafuu

KWA NINI UNUNUE?

Triatril MC inayo viambato amilifu vya aina mbili, Bromoxynil na MCPA vilivyotengenezwa kwa ubora wa hali ya juu ili kumwezesha mkulima kuangamiza magugu yote muhimu yenye majani mapana katika mazao ya nafaka kwa haraka zaidi na gharama nafuu.

JINSI INAVYOFANYA KAZI:

Triatril MC ina uwezo wa kuangamiza magugu mapana kwenye mazao kama Ngano, Shayiri, 'Oats', na Mahindi kwa njia ya kudhoofisha mifumo ya chakula pamoja na kuharibu mifumo ya ukuaji wa magugu. Njia hizo mbili huongeza kasi kubwa katika kuangamiza magugu na kuondoa hatari ya magugu kujenga uwezo wa kuizoea dawa.

NAMNA NA WAKATI GANI WA KUTUMIA:

Triatril MC inaweza kunyunyiziwa kwa kutumia Ndege, Bomba ya Tingatinga, na Bomba ya mkono. Kwa matokeo mazuri nyunyiza dawa wakati magugu yamefikia kiwango cha majani 2-4 na mapema asubuhi, au karibu na jioni wakati joto limepungua. Usinyunyize dawa endapo kuna hali ya ukame, mvua inaponyesha, au endapo kuna dalili za mvua kunyesha.

KIPIMO GANI NITUMIE?

Triatril MC inatumika kwa kipimo cha lita 1.25 kwa hektari katika lita 150-200 za maji kwa bomba la Tingatinga au katika lita 33-50 za maji kwa kunyunyiza na Ndege.

NI DAWA ZIPI NAWENZA KUCHANGANYA NA TRIATRIL MC?

Triatril MC ina utengamano na dawa nyingi za kuangamiza magugu zinazonyunyiziwa wakati magugu yameshaota, pia na dawa za kuangamiza wadudu waharibifu wa mazao, za aina ya Chlorpyrifos, Dimethoate, na Endosulfan.